Author Index

ABEDI-VALUGERDI M. *see* HU H.
ABO T. *see* KOYA T.
see also SUGAHARA S.
ABRAHAMSOHN I.A. *see* TORRECILHAS A.C.T.
ÁGUAS A.P. *see* MARTINS T.C.
AIBA T. *see* SUGAHARA S.
AKBAR SK.MD.F., HORIIKE N. & ONJI M. Prognostic importance of antigen-presenting dendritic cells during vaccine therapy in a murine hepatitis B virus carrier, 98
AKDIS C.A. *see* WYMANN D.
ÅKERBLAD P. *see* BJÖRKDAHL O.
ALEXANDROFF A. *see* HALEY J.L.
ALLEN J.M. *see* MELENDEZ A.J.
ALLEN R.D., DOBKINS J.A., HARPER J.M. & SLAYBACK D. L. Genetics of graft-versus-host disease, I. A locus on Chromosome 1 influences development of acute graft-versus-host disease in a major histocompatibility complex mismatched murine model, 254
ALMAZÁN F. *see* DE LA LASTRA J.M.
AMBALI A.G. *see* KANELLOS T.S.
ANDERSON S., COULSON P.S., LJUBOJEVIC S., MOUNTFORD A.P. & WILSON R. A. The radiation-attenuated schistosome vaccine induces high levels of protective immunity in the absence of B cells, 22
ARAGHI-NIKNAM M. *see* ZHANG Z.
ARAKAWA M. *see* KOYA T.
ARALA-CHAVES M. *see* VILANOVA M.
ARDESTANI S.K. *see* ZHANG Z.
ASAKURA H. *see* SUGAHARA S.
ASANO M. *see* MIN Y.
ASHRAFIAN H. *see* STONEHOUSE T.J.
ATKINSON P.G.P. & BARTON C. H. High level expression of *Nramp1*^{G169} in RAW264.7 cell transfectants: analysis of intracellular iron transport, 656
AVRAMEAS S. *see* JOUANNE C.

BAILEY M. *see* HAVERSON K.
BAKHIET M. *see* HAMADIEN M.
BANHAM A.H. *see* PULFORD K.
BARTON C.H. *see* ATKINSON P.G.P.
BASKETTER D.A. *see* DESCHOOLMEESTER M.L.
BAZZARO M. *see* MICHELETTI F.
BJÖRKDAHL O., ÅKERBLAD P., GJÖRLOFF-WINGREN A., LEANDERSON T. & DOHLSTEN M. Lymphoid hyperplasia in transgenic mice over-expressing a secreted form of the human interleukin-1β gene product, 128
BLASER K. *see* WYMANN D.
BLESKEN T. *see* WYMANN D.
BLÜGGEL M. *see* WYMANN D.
BÖCHER W.O., MARCUS H., SHAKARCHY R., DEKEL B., SHOUVAL D., GALUN E. & REISNER Y. Antigen-specific B and T cells in human/mouse radiation chimera following immunization *in vivo*, 634
BONDER C.S., FINLAY-JONES J.F. & HART P. H. Interleukin-4 regulation of human monocyte and macrophage interleukin-10 and interleukin-12 production. Role of a functional interleukin-2 receptor γ-chain, 529
BOOTS A.M.H. *see* STEENBAKKERS P.G.A.
BORGER P., KAUFMANN H.F., POSTMA D.S., ESSELINK M.T. & VELLENGA E. Interleukin-15 differentially enhances the expression of interferon-γ and interleukin-4 in activated human (CD4$^+$) T lymphocytes, 207
BRISCOE H. *see* KAMATH A.T.
BRITTON W.J. *see* KAMATH A.T.
BRUNHAM R.C. *see* ZHANG D.J.
BUCHAN G. *see* SLOBBE L.
BULLIDO R. *see* DE LA LASTRA J.M.
BURNHAM K. *see* SHANKAR G.
BUTLER V.L. *see* KANELLOS T.S.

CALDER P.C. *see* SADEGHI S.
CANELLA A. *see* MICHELETTI F.
CANNON C.A. *see* FLYNN J.N.
CARBONE F. *see* DE SILVA H.D.
CHAIN B.M. *see* STONEHOUSE T.J.
CHEN X.-J., LYCKE N. & ENERBÄCK L. Surface and gene expression of immunoglobulin E receptors on mast cells and mast-cell numbers in interleukin-4-gene knockout mice, 544
CHIANG T.J. *see* HUSSAIN R.
CHIRINOS-ROJAS C.L., STEWARD M.W. & PARTIDOS C.D. A phage-displayed mimotope inhibits tumour necrosis factor-α-induced cytotoxicity more effectively than the free mimotope, 109
CHOO Y.K. *see* KIM H.M.
CHOW S. *see* ZHANG Z.
CHUNG K.F. *see* HUANG T.-J.
COLEMAN J.W. *see* DESCHOOLMEESTER M.L.
ČOLIĆ M. *see* DRAŠKOVIĆ-PAVLOVIĆ B.
COLOMBO B.M. *see* MASURIER C.
COOKE A. *see* HUTCHINGS P.
CORNWELL W.D. & ROGERS T. J. Role of interleukin-2 in superantigen-induced T-cell anergy, 193
COULSON P.S. *see* ANDERSON S.
CROMPTON T. *see* PALMER D.B.
CROSBY J. *see* GARSSEN J.

DA SILVA A.V. *see* TORRECILHAS A.C.T.
DAVIES D. *see* NAGAI K.
DAWE K. *see* HUTCHINGS P.
DE LA LASTRA J.M., VAN DEN BERG C.W., BULLIDO R., ALMAZÁN F., DOMÍNGUEZ J., LLANES D. & MORGAN B. P. Epitope mapping of 10 monoclonal antibodies against the pig analogue of human membrane cofactor protein (MCP), 663
DE LISLE G. *see* SLOBBE L.
DE SILVA H.D., GLEESON P.A., TOH B.H., VAN DRIEL I.R. & CARBONE F. Identification of a gastritogenic epitope of the H/K ATPase β-subunit, 145
DEARMAN R.J. *see* DESCHOOLMEESTER M.L.
DEICHMANN K.A. *see* KRUSE S.
DEKEL B. *see* BÖCHER W.O.
DER C.J. *see* LI Y.Q.
DESCHOOLMEESTER M.L., EASTMOND N.C., DEARMAN R.J., KIMBER I., BASKETTER D.A. & COLEMAN J. W. Reciprocal effects of interleukin-4 and interferon-γ on immunoglobulin E-mediated mast cell degranulation: a role for nitric oxide but not peroxynitrite or cyclic guanosine monophosphate, 138
DI DONATO M. *see* TEDESCHI A.
DIJKSTRA C.D. *see* DRAŠKOVIĆ-PAVLOVIĆ B.
DOBKINS J.A. *see* ALLEN R.D.
DOCKRELL H.M. *see* HUSSAIN R.
DOHLSTEN M. *see* BJÖRKDAHL O.
DOMÍNGUEZ J. *see* DE LA LASTRA J.M.
DORTANT P. *see* GARSSEN J.
DRAŠKOVIĆ-PAVLOVIĆ B., VAN DER LAAN L.J.W., PEJNOVIĆ N., DIJKSTRA C.D. & ČOLIĆ M. Differential effects of anti-rat CD11b monoclonal antibodies on granulocyte adhesiveness, 83

EASTMOND N.C. *see* DESCHOOLMEESTER M.L.
EBIHARA T. *see* SAKAGUCHI M.
ELSON C.J. *see* SHEN C.-R.
ENERBÄCK L. *see* CHEN X.-J.
ESSELINK M.T. *see* BORGER P.
ETO M., KONG Y.-Y., UOZUMI J., NAITO S. & NOMOTO K. Importance of intrathymic mixed chimerism for the maintenance of skin allograft tolerance across fully allogeneic antigens in mice, 440

FAQUIM-MAURO E. *see* TORRECILHAS A.C.T.
FERRANTE A. *see* LI Y.Q.
FERREIRA B.R. & SILVA J. S. Successive tick infestations selectively promote a T-helper 2 cytokine profile in mice, 434
FERREIRA P. *see* VILANOVA M.
FINLAY-JONES J.F. *see* BONDER C.S.
FLYNN J.N., CANNON C.A., SLOAN D., NEIL J.C. & JARRETT O. Suppression of feline immunodeficiency virus replication *in vitro* by a soluble factor secreted by $CD8^+$ T lymphocytes, 220
FORD J. *see* KEES U.R.
FORSTER J. *see* KRUSE S.
FOTIADOU P. *see* JENKINSON H.J.
FRITSCHÉ R. *see* PECQUET S.
FUKUOKA M. *see* SAI T.

GALUN E. *see* BÖCHER W.O.
GARSSEN J., NORVAL M., CROSBY J., DORTANT P. & VAN LOVEREN H. The role of urocanic acid in UVB-induced suppression of immunity to *Trichinella spiralis* infection in the rat, 298
GAULDIE S. *see* PECQUET S.
GAVIOLI R. *see* MICHELETTI F.
GEERTSMA M.F. *see* ZHENG L.
GEORGE A.J.T. *see* PALMER D.B.
GEORGE M. *see* STONEHOUSE T.J.
GJÖRLOFF-WINGREN A. *see* BJÖRKDAHL O.
GLEESON P.A. *see* DE SILVA H.D.
GUIGON M. *see* MASURIER C.

HAIG D.M., HOPKINS J. & MILLER H. R. P. Local immune responses in afferent and efferent lymph, 155
HAIR J. *see* SANDILANDS G.P.
HALEY J.L., YOUNG D.G., ALEXANDROFF A. & JAMES K. Enhancing the immunotherapeutic potential of mycobacteria by transfection with tumour necrosis factor-α, 114
HAMADIEN M., LYCKE N. & BAKHIET M. Induction of the trypanosome lymphocyte-triggering factor (TLTF) and neutralizing antibodies to the TLTF in experimental African trypanosomiasis, 606
HAMBLIN A.S. *see* KANELLOS T.S.
HAN C. *see* TANG Y.
HANKE T. *see* KAMATH A.T.
HARALAMBIEVA E. *see* PULFORD K.
HARNETT M.M. *see* MELENDEZ A.J.
HARPER J.M. *see* ALLEN R.D.
HART P.H. *see* BONDER C.S.
HARTNELL A. *see* NAGAI K.
HASHIMOTO H. *see* OGASAWARA H.
HAVERSON K., BAILEY M. & STOKES C.R. T-cell populations in the pig intestinal lamina propria: memory cells with unusual phenotypic characteristics, 66
HECKER K.H., NIIZEKI H. & STREILEIN J. W. Distinct roles for transforming growth factor-β_2 and tumour necrosis factor-α in immune deviation elicited by hapten-derivated antigen-presenting cells, 372
HEDLUND G. *see* HUTCHINGS P.
HEFFLER L.C. *see* VAN DEN BROEKE L.T.
HENNE C. *see* MOLDENHAUER G.
HERRIDGE P.S. *see* STONEHOUSE T.J.
HII C.S.T. *see* LI Y.Q.
HILLYER L. *see* WOODWARD B.
HIROSE S. *see* OGASAWARA H.
HOLMES C.H. *see* JENKINSON H.J.
HOLMGREN J. *see* JOHANSSON E.-L.
HONDA S. *see* KOYA T.
HOPKINS J. *see* HAIG D.M.
HORI H. *see* SAKAGUCHI M.
HORIIKE N. *see* AKBAR SK.MD.F.
HOWARD C.J. *see* MCINNES E.
HOWARD C.R. *see* KANELLOS T.
HOWLETT S. *see* HUTCHINGS P.
HU H., MÖLLER G. & ABEDI-VALUGERDI M. Mechanism of mercury-induced autoimmunity: both T helper 1- and T helper 2-type responses are involved, 348
HUANG T.-J., MACARY P.A., KEMENY D.M. & CHUNG K. F. Effect of $CD8^+$ T-cell depletion on bronchial hyper-responsiveness and inflammation in sensitized and allergen-exposed Brown–Norway rats, 416
HUNT K. *see* WOODWARD B.
HUSSAIN R., DOCKRELL H.M. & CHIANG T. J. Dominant recognition of a cross-reactive B-cell epitope in *Mycobacterium leprae* 10 K antigen by immunoglobulin G1 antibodies across the disease spectrum in leprosy, 620
HUTCHINGS P., HEDLUND G., DAWE K., HOWLETT S. & COOKE A. Effect of the synthetic immunomodulator, Linomide, on experimental models of thyroiditis, 340

IKURA S., TERAO K., MATSUZAKI I., INOUE-MURAYAMA M. & MURAYAMA Y. U5 monoclonal antibody identifies a novel lymphocyte surface antigen preferentially expressed in human circulating natural killer cells with high cytotoxic activity, 485
INOUE-MURAYAMA M. *see* IKURA S.
INOUYE S. *see* SAKAGUCHI M.
INSERRA P. *see* ZHANG Z.
IRIE S. *see* SAKAGUCHI M.
ISHIKAWA F. *see* SEO A.
ISOMÄKI P., LUUKKAINEN R., LASSILA O., TOIVANEN P. & PUNNONEN J. Synovial fluid T cells from patients with rheumatoid arthritis are refractory to the T helper type 2 differentiation-inducing effects of interleukin-4, 358
IWAGAMI S. *see* YOSHIOKA T.

JAKUBIK J.J., SAIFUDDIN M., TAKEFMAN D.M. & SPEAR G.T. B lymphocytes in lymph nodes and peripheral blood are important for binding immune complexes containing HIV-1, 612
JAMES K. *see* HALEY J.L.
JANSEN H.M. *see* LOMAN S.
JAPHA T. *see* KRUSE S.
JARRETT O. *see* FLYNN J.N.
JENKINSON H.J., WAINWRIGHT S.D., SIMPSON K.L., PERRY A.C.F., FOTIADOU P. & HOLMES C. H. Expression of CD1D mRNA transcripts in human choriocarcinoma cell lines and placentally derived trophoblast cells, 649
JIANG S. *see* ZHANG Z.
JOHANSSON E.-L., RUDIN A., WASSÉN L. & HOLMGREN J. Distribution of lymphocytes and adhesion molecules in human cervix and vagina, 272
JOHNSON J. *see* SHANKAR G.
JONES M. *see* PULFORD K.
JOUANNE C., AVRAMEAS S. & PAYELLE-BROGARD B. A peptide derived from a polyreactive monoclonal anti-DNA natural antibody can modulate lupus development in $(NZB \times NZW)F_1$ mice, 333

KAKIUCHI T. *see* SEO A.
KALBACHER H. *see* WYMANN D.
KAMATH A.T., HANKE T., BRISCOE H. & BRITTON W.J. Co-immunization with DNA vaccines expressing granulocyte macrophage colony-stimulating factor and mycobacterial secreted proteins enhances T-cell immunity, but not protective efficacy against *Mycobacterium tuberculosis*, 511
KANDA N. & TAMAKI K. Ganglioside GT1b suppresses immunoglobulin production by human peripheral blood mononuclear cells, 628
KANEKO Y. *see* OGASAWARA H.
KANELLOS T., SYLVESTER I.D., AMBALI A.G., HOWARD C.R. & RUSSELL P. H. The safety and longevity of DNA vaccines for fish, 307

KANELLOS T.S., SYLVESTER I.D., BUTLER V.L., AMBALI A.G., PARTIDOS C.D., HAMBLIN A.S. & RUSSELL P. H. Mammalian granulocyte–macrophage colony-stimulating factor and some CpG motifs have an effect on the immunogenicity of DNA and subunit vaccines in fish, 507
KARHAUSEN J. *see* MOLDENHAUER G.
KARLBERG A.-T. *see* VAN DEN BROEKE L.T.
KASINRERK W., TOKRASINWIT N. & PHUNPAE P. CD147 monoclonal antibodies induce homotypic cell aggregation of monocytic cell line U937 via LFA-1/ICAM-1 pathway, 184
KASUGA-AOKI H., TAKAI S., SASAKI Y., TSUBAKI S., MADARAME H. & NAKANE A. Tumour necrosis factor and interferon-γ are required in host resistance against virulent *Rhodococcus equi* infection in mice: cytokine production depends on the virulence levels of *R. equi*, 122
KATOH H. *see* KUBOTA K.
KATZ D.R. *see* STONEHOUSE T.J.
KAUFMANN H.F. *see* BORGER P.
KEES U.R. & FORD J. Synergistic action of stem-cell factor and interleukin-7 in a human immature T-cell line, 202
KEMENY D.M. *see* HUANG T.-J.
KERESZTES G. *see* SZLANKA T.
KIM H.M., SHIN H.Y., CHOO Y.K. & PARK J. K. Inhibition of mast cell-dependent anaphylaxis by sodium salicylate, 551
KIMBER I. *see* DESCHOOLMEESTER M.L.
KIMOTO M. *see* SAI T.
KISHI H. *see* TONG J.-J.
KLATZMANN D. *see* MASURIER C.
KOARADA S. *see* SAI T.
KOBAYASHI K. *see* SEO A.
KOHANAWA M. *see* MIN Y.
KOIKE M. *see* YOSHIOKA T.
KONG Y.-Y. *see* ETO M.
KOYA T., HONDA S., NARITA J., WATANABE H., ARAKAWA M. & ABO T. Enrichment of c-kit$^+$ Lin$^-$ haemopoietic progenitor cells that commit themselves to extrathymic T cells in *in vitro* culture of appendix mononuclear cells, 447
KOYAMA K. *see* KUBOTA K.
KRUSE S., JAPHA T., TEDNER M., SPARHOLT S.H., FORSTER J., KUEHR J. & DEICHMANN K. A. The polymorphisms S503P and Q576R in the interleukin-4 receptor α gene are associated with atopy and influence the signal transductions, 365
KUBOTA K., KATOH H., MUGURAMA K. & KOYAMA K. Characterization of a surface membrane molecule expressed by natural killer cells in most inbred mouse strains: monoclonal antibody C9.1 identifies an allelic form of the 2B4 antigen, 491
KUEHR J. *see* KRUSE S.
KUSCHEL L. *see* SHANKAR G.

LACAVE R. *see* MASURIER C.
LARBI K. *see* NAGAI K.
LARKIN S. *see* NAGAI K.
LASSILA O. *see* ISOMÄKI P.
LEANDERSON T. *see* BJÖRKDAHL O.
LEMOINE F.M. *see* MASURIER C.
LI Y.Q., HII C.S.T., DER C.J. & FERRANTE A. Direct evidence that ERK regulates the production/secretion of interleukin-2 in PHA/PMA-stimulated T lymphocytes, 524
LIANG B. *see* ZHANG Z.
LJUBOJEVIC S. *see* ANDERSON S.
LLANES D. *see* DE LA LASTRA J.M.
LOBB R.R. *see* NAGAI K.
LOCKHART E. *see* SLOBBE L.
LOMAN S., JANSEN H.M., OUT T.A. & LUTTER R. Interleukin-4 and interferon-γ synergistically increase secretory component gene expression, but are additive in stimulating secretory immunoglobulin A release by Calu-3 airway epithelial cells, 537
LORINI M. *see* TEDESCHI A.
LUTTER R. *see* LOMAN S.
LUUKKAINEN R. *see* ISOMÄKI P.
LYCKE N. *see* CHEN X.-J.
LYCKE N. *see* HAMADIEN M.

MACARY P.A. *see* HUANG T.-J.
MACKINTOSH C. *see* SLOBBE L.
MADARAME H. *see* KASUGA-AOKI H.
MARANDI M.B. *see* PALMER D.B.
MARASTONI M. *see* MICHELETTI F.
MARCUS H. *see* BÖCHER W.O.
MARTINS T.C. & AGUAS A.P. A role for CD45RB^{low} CD38$^+$ T cells and co-stimulatory pathways of T-cell activation in protection of non-obese diabetic (NOD) mice from diabetes, 600
MASON D.Y. *see* PULFORD K.
MASURIER C., PIOCHE-DURIEU C., COLOMBO B.M., LACAVE R., LEMOINE F.M., KLATZMANN D. & GUIGON M. Immunophenotypical and functional heterogeneity of dendritic cells generated from murine bone marrow cultured with different cytokine combinations: implications for anti-tumoral cell therapy, 569
MATSUTANI T. *see* YOSHIOKA T.
MATSUZAKI G. *see* NAKAMURA T.
MATSUZAKI I. *see* IKURA S.
MCINNES E., SOPP P., HOWARD C.J. & TAYLOR G. Phenotypic analysis of local cellular responses in calves infected with bovine respiratory syncytial virus, 396
MEDINA E. & NORTH R. J. Genetically susceptible mice remain proportionally more susceptible to tuberculosis after vaccination, 16
MELENDEZ A.J., HARNETT M.M. & ALLEN J. M. Differentiation-dependent switch in protein kinase C isoenzyme activation by FcγRI, the human high-affinity receptor for immunoglobulin G, 457
MEYER H.E. *see* WYMANN D.
MIADONNA A. *see* TEDESCHI A.
MICHELETTI F., BAZZARO M., CANELLA A., MARASTONI M., TRANIELLO S. & GAVIOLI R. The lifespan of major histocompatibility complex class I/peptide complexes determines the efficiency of cytotoxic T-lymphocyte responses, 411
MILLER H.R.P. *see* HAIG D.M.
MIN Y., ASANO M., KOHANAWA M. & MINAGAWA T. Movement disorders in encephalitis induced by *Rhodococcus aurantiacus* infection relieved by the administration of L-dopa and anti-T-cell antibodies, 10
MINAGAWA T. *see* MIN Y.
MINE M. *see* SAI T.
MOLDENHAUER G., HENNE C., KARHAUSEN J. & MÖLLER P. Surface-expressed invariant chain (CD74) is required for internalization of human leucocyte antigen-DR molecules to early endosomal compartments, 473
MÖLLER G. *see* HU H.
MÖLLER P. *see* MOLDENHAUER G.
MORE I.A.R. *see* SANDILANDS G.P.
MORGAN B.P. *see* DE LA LASTRA J.M.
MOUNTFORD A.P. *see* ANDERSON S.
MUGURAMA K. *see* KUBOTA K.
MURAGUCHI A. *see* TONG J.-J.
MURAYAMA Y. *see* IKURA S.

NAGAI K., LARKIN S., HARTNELL A., LARBI K., RAZI AGHAKHANI M., WINDLEY C., DAVIES D., LOBB R.R., WILLIAMS T.J. & NOURSHARGH S. Human eotaxin induces eosinophil extravasation through rat mesenteric venules: role of α_4 integrins and vascular cell adhesion molecule-1, 176
NAGATA T. *see* TONG J.-J.
NAITO S. *see* ETO M.
NAKAMURA T., MATSUZAKI G. & NOMOTO K. The protective role of T-cell receptor Vγ1$^+$ T cells in primary infection with *Listeria monocytogenes*, 29
NAKANE A. *see* KASUGA-AOKI H.
NAKANO H. *see* SEO A.
NAKAZAKI H. *see* SEO A.
NARITA J. *see* KOYA T.
NEIL J.C. *see* FLYNN J.N.
NIBBERING P.H. *see* ZHENG L.
NIIZEKI H. *see* HECKER K.H.
NILSSON J.L.G. *see* VAN DEN BROEKE L.T.

NOMOTO K. *see* ETO M.
see also NAKAMURA T.
NORTH R.J. *see* MEDINA E.
NORVAL M. *see* GARSSEN J.
NOURSHARGH S. *see* NAGAI K.

O'DONNELL M.A. *see* SLOBBE L.
OCSOVSZKI I. *see* SZLANKA T.
OGASAWARA H., TAKEDA-HIROKAWA N., SEKIGAWA I., HASHIMOTO H., KANEKO Y. & HIROSE S. Inhibitory effect of interleukin-16 on interleukin-2 production by $CD4^+$ T cells, 215
ONJI M. *see* AKBAR SK.MD.F.
OUT T.A. *see* LOMAN S.

PALMER D.B., CROMPTON T., MARANDI M.B., GEORGE A.J.T. & RITTER M. A. Intrathymic function of the human cortical epithelial cell surface antigen gp200-MR6: single-chain antibodies to evolutionarily conserved determinants disrupt mouse thymus development, 236
PARK J.K. *see* KIM H.M.
PARTIDOS C.D. *see* CHIRINOS-ROJAS C.L.
see also KANELLOS T.S.
PAYELLE-BROGARD B. *see* JOUANNE C.
PECQUET S., PFEIFER A., GAULDIE S. & FRITSCHÉ R. Immunoglobulin E suppression and cytokine modulation in mice orally tolerized to β-lactoglobulin, 278
PEJNOVIĆ N. *see* DRAŠKOVIĆ-PAVLOVIĆ B.
PERRY A.C.F. *see* JENKINSON H.J.
PERRY M. *see* SANDILANDS G.P.
PFEIFER A. *see* PECQUET S.
PHUNPAE P. *see* KASINRERK W.
PIOCHE-DURIEU C. *see* MASURIER C.
POSTMA D.S. *see* BORGER P.
PULFORD K., JONES M., BANHAM A.H., HARALAMBIEVA E. & MASON D. Y. Lymphocyte-specific protein-1: a specific marker of human leucocytes, 262
PUNNONEN J. *see* ISOMäKI P.

RAZI AGHAKHANI M. *see* NAGAI K.
REISNER Y. *see* BÖCHER W.O.
RIBEIRO A. *see* VILANOVA M.
RICHINS M. *see* SHANKAR G.
RIJNDERS A.W.M. *see* STEENBAKKERS P.G.A.
RITTER M.A. *see* PALMER D.B.
ROGERS T.J. *see* CORNWELL W.D.
RUDIN A. *see* JOHANSSON E.-L.
RUSSELL P.H. *see* KANELLOS T.S.

SADEGHI S., WALLACE F.A. & CALDER P. C. Dietary lipids modify the cytokine response to bacterial lipopolysaccharide in mice, 404
SAI T., MINE M., FUKUOKA M., KOARADA S. & KIMOTO M. A mutational analysis of the $A\beta^z/A\alpha^d$ major histocompatibility complex class II molecule that restricts autoreactive T cells in (NZB × NZW)F1 mice. The critical influence of alanine at position 69 in the $A\alpha^d$, 325
SAIFUDDIN M. *see* JAKUBIK J.J.
SAKAGUCHI M., HORI H., EBIHARA T., IRIE S., YANAGIDA M. & INOUYE S. Reactivity of the immunoglobulin E in bovine gelatin-sensitive children to gelatins from various animals, 286
SALMASO C. *see* TEDESCHI A.
SANDILANDS G.P., PERRY M., WOOTTON M., HAIR J. & MORE I.A.R. B-cell antigens within normal and activated human T cells, 424
SASAKI Y. *see* KASUGA-AOKI H.
SCHEYNIUS A. *see* VAN DEN BROEKE L.T.
SEKIGAWA I. *see* OGASAWARA H.
SEO A., ISHIKAWA F., NAKANO H., NAKAZAKI H., KOBAYASHI K. & KAKIUCHI T. Enhancement of B7-1 (CD80) expression on B-lymphoma cells by irradiation, 642
SHAKARCHY R. *see* BÖCHER W.O.
SHANKAR G., JOHNSON J., KUSCHEL L., RICHINS M. & BURNHAM K. Protein-kinase-specific inhibitors block Langerhans' cell migration by inhibiting interleukin-1α release, 230
SHEN C. *see* ZHANG D.J.
SHEN C.-R., WRAITH D.C. & ELSON C. J. Splenic but not thymic autoreactive T cells from New Zealand Black mice respond to a dominant erythrocyte Band 3 peptide, 595
SHIMIZU T. *see* SUGAHARA S.
SHIN H.Y. *see* KIM H.M.
SHOUVAL D. *see* BÖCHER W.O.
SILVA J.S. *see* FERREIRA B.R.
SIMPSON K.L. *see* JENKINSON H.J.
SLAYBACK D.L. *see* ALLEN R.D.
SLOAN D. *see* FLYNN J.N.
SLOBBE L., LOCKHART E., O'DONNELL M.A., MACKINTOSH C., DE LISLE G. & BUCHAN G. An *in vivo* comparison of bacillus Calmette–Guérin (BCG) and cytokine-secreting BCG vaccines, 517
SMITH E.C. *see* TAYLOR-ROBINSON A.W.
SOPP P. *see* MCINNES E.
SPARHOLT S.H. *see* KRUSE S.
SPEAR G.T. *see* JAKUBIK J.J.
STEENBAKKERS P.G.A., BOOTS A.M.H. & RIJNDERS A.W.M. T-cell anergy induced by clonotype-specific antibodies: modulation of an autoreactive human T-cell clone *in vitro*, 586
STEWARD M.W. *see* CHIRINOS-ROJAS C.L.
STOKES C.R. *see* HAVERSON K.
STONEHOUSE T.J., WOODHEAD V.E., HERRIDGE P.S., ASHRAFIAN H., GEORGE M., CHAIN B.M. & KATZ D. R. Molecular characterization of U937-dependent T-cell co-stimulation, 35
STREILEIN J.W. *see* HECKER K.H.
SUGAHARA S., SHIMIZU T., YOSHIDA Y., AIBA T., YAMAGIWA S., ASAKURA H. & ABO T. Extrathymic derivation of gut lymphocytes in parabiotic mice, 57
SUZUKI H. *see* YOSHIOKA T.
SUZUKI R. *see* YOSHIOKA T.
SYLVESTER I.D. *see* KANELLOS T.S.
SZLANKA T., TOTH G.K., OCSOVSZKI I. & KERESZTES G. An antiserum raised against the recombinant cytoplasmic tail of the human CD43 glycoprotein identifies CD43 in many mammalian species, 74

TAKAI S. *see* KASUGA-AOKI H.
TAKEDA-HIROKAWA N. *see* OGASAWARA H.
TAKEFMAN D.M. *see* JAKUBIK J.J.
TAKEUCHI T. *see* YOSHIOKA T.
TAMAKI K. *see* KANDA N.
TANG Y., HAN C. & WANG X. Role of nitric oxide and prostaglandins in the potentiating effects of calcitonin gene-related peptide on lipopolysaccharide-induced interleukin-6 release from mouse peritoneal macrophages, 171
TAYLOR G. *see* MCINNES E.
TAYLOR-ROBINSON A.W. & SMITH E. C. Modulation of experimental blood stage malaria through blockade of the B7/CD28 T-cell costimulatory pathway, 498
TEDESCHI A., SALMASO C., DI DONATO M., LORINI M. & MIADONNA A. Granulocyte–macrophage colony-stimulating factor and interleukin-3 cause basophil histamine release by a common pathway: downregulation by sodium, 164
TEDNER M. *see* KRUSE S.
TENGVALL LINDER M. *see* VAN DEN BROEKE L.T.
TERAO K. *see* IKURA S.
TOH B.H. *see* DE SILVA H.D.
TOIVANEN P. *see* ISOMäKI P.
TOKRASINWIT N. *see* KASINRERK W.
TONG J.-J., KISHI H., NAGATA T. & MURAGUCHI A. Co-ordinate expression of pre-T-cell receptor complex and a novel immature thymocyte-specific antigen, IMT-1, during thymocyte development, 48
TORRECILHAS A.C.T., FAQUIM-MAURO E., DA SILVA A.V. & ABRAHAMSOHN I. A. Interference of natural mouse hepatitis virus infection with cytokine production and susceptibility to *Trypanosoma cruzi*, 381
TOTH G.K. *see* SZLANKA T.

TOYOSAKI-MAEDA T. *see* YOSHIOKA T.
TRANIELLO S. *see* MICHELETTI F.
TSUBAKI S. *see* KASUGA-AOKI H.
TSURUTA Y. *see* YOSHIOKA T.

UEMURA S. *see* YOSHIOKA T.
UOZUMI J. *see* ETO M.

VAN DEN BARSELAAR M.T. *see* ZHENG L.
VAN DEN BERG C.W. *see* DE LA LASTRA J.M.
VAN DEN BROEKE L.T., HEFFLER L.C., TENGVALL LINDER M., NILSSON J.L.G., KARLBERG A.-T. & SCHEYNIUS A. Direct Ni^{2+} antigen formation on cultured human dendritic cells, 578
VAN DER LAAN L.J.W. *see* DRAŠKOVIĆ-PAVLOVIĆ B.
VAN DRIEL I.R. *see* DE SILVA H.D.
VAN FURTH R. *see* ZHENG L.
VAN LOVEREN H. *see* GARSSEN J.
VELLENGA E. *see* BORGER P.
VILANOVA M., FERREIRA P., RIBEIRO A. & ARALA-CHAVES M. The biological effects induced in mice by p36, a proteinaceous factor of virulence produced by African swine fever virus, are mediated by interleukin-4 and also to a lesser extent by interleukin-10, 389
VOSS E.W. JR *see* WEAVER D.J. JR

WAINWRIGHT S.D. *see* JENKINSON H.J.
WALLACE F.A. *see* SADEGHI S.
WANG X. *see* TANG Y.
WASSÉN L. *see* JOHANSSON E.-L.
WATANABE H. *see* KOYA T.
WATSON R.R. *see* ZHANG Z.
WEAVER D.J. JR & VOSS E.W. JR Kinetics and intracellular pathways required for major histocompatibility complex II–peptide loading and surface expression of a fluorescent hapten-protein conjugate in murine macrophages, 557
WILLIAMS T.J. *see* NAGAI K.
WILSON R.A. *see* ANDERSON S.
WINDLEY C. *see* NAGAI K.
WOODHEAD V.E. *see* STONEHOUSE T.J.
WOODWARD B., HILLYER L. & HUNT K. T cells with a quiescent phenotype ($CD45RA^+$) are overabundant in the blood and involuted lymphoid tissues in wasting protein and energy deficiencies, 246
WOOTTON M. *see* SANDILANDS G.P.
WRAITH D.C. *see* SHEN C.-R.
WYMANN D., BLüGGEL M., KALBACHER H., BLESKEN T., AKDIS C.A., MEYER H.E. & BLASER K. Human B cells secrete migration inhibition factor (MIF) and present a naturally processed MIF peptide on HLA-DRB1*0405 by a FXXL motif, 1

YAMAGIWA S. *see* SUGAHARA S.
YANAGIDA M. *see* SAKAGUCHI M.
YANG X. *see* ZHANG D.J.
YOSHIDA Y. *see* SUGAHARA S.
YOSHIOKA T., MATSUTANI T., IWAGAMI S., TOYOSAKI-MAEDA T., YUTSUDO T., TSURUTA Y., SUZUKI H., UEMURA S., TAKEUCHI T., KOIKE M. & SUZUKI R. Polyclonal expansion of TCRBV2- and TCRBV6-bearing T cells in patients with Kawasaki disease, 465
YOUNG D.G. *see* HALEY J.L.
YUTSUDO T. *see* YOSHIOKA T.

ZHANG D.J., YANG X., SHEN C. & BRUNHAM R. C. Characterization of immune responses following intramuscular DNA immunization with the MOMP gene of *Chlamydia trachomatis* mouse pneumonitis strain, 314
ZHANG Z., ARAGHI-NIKNAM M., LIANG B., INSERRA P., ARDESTANI S.K., JIANG S., CHOW S. & WATSON R. R. Prevention of immune dysfunction and vitamin E loss by dehydroepiandrosterone and melatonin supplementation during murine retrovirus infection, 291
ZHENG L., ZOMERDIJK T.P.L., VAN DEN BARSELAAR M.T., GEERTSMA M.F., VAN FURTH R. & NIBBERING P. H. Arachidonic acid, but not its metabolites, is essential for FcγR-stimulated intracellular killing of *Staphylococcus aureus* by human monocytes, 90
ZOMERDIJK T.P.L. *see* ZHENG L.

Subject Index

Appendix:
haemopoietic progenitor cells in, 447
Arachidonic acid:
role in FCγR-stimulated killing by monocytes, 90

B cells, human:
secretion and presentation of migration inhibition factor, 1
B-cell antigens:
within human T cells, 424
B lymphocytes:
binding of immune complexes containing human immunodeficiency virus, 612
B7/CD28:
modulation of malaria, 498
B7-1 expression:
enhancement by irradiation, 642
Bacillus Calmette–Guérin vaccine:
cytokine secreting, 517
Basophils:
effect of granulocyte–macrophage colony-stimulating factor and interleukin-3, 164

$CD8^+$ T cells:
in bronchial hyper-responsiveness, 416
CD43:
identification in mammalian species, 74
CD147 antibodies, monoclonal:
induction of cell aggregation, 184
CD1D mRNA transcripts:
in choriocarcinoma cell lines and placental trophoblast, 649
Cervix and vagina:
distribution of lymphocytes and addressins, 272
Chimeras, human/mouse:
immune responses in, 634
Cytokine production:
in *Rhodococcus equi* infection, 122
Cytokines:
role in mercury-induced autoimmunity, 348

Dehydroepiandrosterone and melatonin:
effects on murine acquired immune-deficiency syndrome, 291
Dendritic cells:
direct N^{2+} antigen formation on, 578
importance in murine hepatitis carriers, 98
Dendritic cells, bone marrow derived:
heterogeneity, 569
Dietary lipids:
and cytokine responses, 404
DNA immunization, with MOMP gene from *Chlamydia trachomatis*:
immune response following, 314
DNA vaccine, against tuberculosis:
co-immunization with granulocyte–macrophage colony-stimulating factor, 511
DNA vaccines:
for fish, 307

Eotaxin, human:
role of α_4 integrins and vascular cell adhesion molecule in eosinophil extravasation, 176

FcγRI:
activation of protein kinase C isoenzyme, 457
Feline immunodeficiency virus:
suppression by CD8 T-cell soluble factor, 220

Ganglioside GT1b:
suppression of immunoglobulin production, 628
Gastritogenic epitope of H/K ATPase β-subunit, 145
Graft-versus-host disease:
influence of a locus on chromosome 1, 254
Granulocyte aggregation:
involvement of CD11b epitopes, 83
Granulocyte–macrophage colony-stimulating factor and CpG motifs:
effect on vaccines in fish, 507
Gut lymphocytes:
in parabiotic mice, 57

Hepatitis virus, mouse:
influence on cytokine production and *Trypanosoma cruzi*, 381

Immature thymocyte antigen IMT-1:
expression, 48
Immune deviation:
roles for transforming growth factor-β_2 and tumour necrosis factor-α, 372
Immunoglobulin E:
reactivity with gelatin, 286
Immunoglobulin E receptor expression:
on mast cells in interleukin-4 gene knockout mice, 544
Immunoglobulin E suppression and cytokine modulation:
in oral tolerance, 278
Immunosuppression, UVB induced:
role of urocanic acid, 298
Interleukin-1β transgenic mice:
lymphoid hyperplasia, 128
Interleukin-2:
role in T-cell anergy, 193
Interleukin-2, production:
regulation by ERK, 524
Interleukin-4 receptor α gene polymorphisms:
and signal transduction, 365
Interleukin-4 regulation of human monocyte interleukin-10 and interleukin-12, 529
Interleukin-15 and expression of interferon-γ and interleukin-4 in CD4 T cells, 207
Interleukin-16:
inhibition of interleukin-2 production, 215
Intrathymic mixed chimerism:
and skin allograft tolerance, 440
Invariant chain (CD74) and internalization of human leucocyte antigen-DR, 473

Langerhans' cells, migration:
and protein kinases, 230
Leprosy:
cross-reactive B-cell epitopes on, 620
Listeriosis:
role of $V\gamma1^+$ T cells, 29
Lupus, in $(NZB \times NZW)F_1$ mice:
modulation by peptide, 333
Lymph, afferent and efferent:
local immune responses in, 155
Lymphocyte-specific protein-1:
on human leucocytes, 262

Major histocompatibility complex class I, peptide complexes:
and cytotoxic T lymphocytes induction, 411
Major histocompatibility complex class II, $A\beta^z/A\alpha^d$ molecule:
role of alanine 69, 325
Major histocompatibility complex II–peptide loading:
in murine macrophages, 557
Mast cell degranulation, via nitric oxide:
cytokine control, 138

Mast cell-dependent anaphylaxis:
inhibition by salicylate, 551
Membrane cofactor protein, pig analogue:
epitope mapping, 663
Mimotope, phage displayed:
inhibition of tumour necrosis factor-α cytotoxicity, 109
Movement disorders:
relieved by L-dopa and anti-T-cell antibodies, 10
Mycobacteria:
enhancement of therapeutic potential by transfection with tumour necrosis factor, 114

Natural killer cells, human:
novel surface antigen, 485
Natural killer cells, mouse:
surface membrane molecule, 491
Nitric oxide and prostaglandins:
effects on interleukin-6 release, 171
Nramp1:
and intracellular iron transport, 656

p36:
biological effects in mice, 389
Protein energy deficiency:
$CD45RA^+$ T cells in, 246

Respiratory syncytial virus, bovine:
cellular responses in calves, 396

Schistosome vaccine, radiation-attenuated:
protective effect in B-deficient mice, 22
Secretory immunoglobulin A system:
modulation by interleukin-4 and interferon-γ, 537
Synovial T cells:
effects of interleukin-4 upon, 358

T cells, polyclonal expansion:
in Kawasaki disease, 465
T cells, thymic autoreactive:
response to Band 3 peptide, 595
T-cell activation:
and protection of non-obese diabetic mice from diabetes, 600
T-cell anergy:
induced by clonotype-specific antibodies, 586
T-cell co-stimulation:
U937 dependent, 35
T-cell line:
synergistic action of stem cell factor and interleukin-7, 202
T-cell populations, pig:
intestinal lamina propria, 66
T helper 2 cytokines:
in tick infestations, 434
Thymus development, mouse:
disruption by antibodies to gp200-MR6 determinants, 236
Thyroiditis, experimental:
effect of linomide, 340
Trypanosome lymphocyte-triggering factor:
in trypanosomiasis, 606
Tuberculosis, susceptibility of mice:
after vaccination, 16